

FY09 Annual ECT Facility Summary

For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Baylor All Saints Medical Center, Fort Worth													114 *	
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	114 reports reflected										
110	White/Caucasian	82 female	16	0	30	1	44	4	58	3	72	0	86	0
2	Black or African American	32 male	17	0	31	1	45	0	59	2	73	0	87	0
2	Hispanic or Latino	114 reports reflected	18	0	32	0	46	3	60	1	74	2	88	1
0	Asian		19	0	33	0	47	2	61	4	75	2	89	0
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	1	48	3	62	1	76	1	90	0
			21	0	35	1	49	5	63	2	77	2	91	0
114	reports reflected		22	2	36	2	50	9	64	4	78	0	92	0
			23	0	37	0	51	4	65	4	79	0	93	0
			24	3	38	0	52	8	66	2	80	0	94	0
			25	0	39	5	53	3	67	1	81	0	95	0
			26	0	40	0	54	1	68	0	82	0	96	0
			27	0	41	6	55	6	69	0	83	0	97	0
114	reports reflected		28	0	42	3	56	6	70	0	84	0	98	0
			29	0	43	0	57	2	71	1	85	0	99	0
<u>Primary source of payment for ECT</u>														
76	private 3rd party (insurer, HMO, etc)													
38	public 3rd party (county, state, Medicaid, etc.)													
0	own/family funds													
0	other													
114	reports reflected													
			<u>Other reportable events that occurred within fourteen (14) days of ECT</u>											
			0 apnea				0 reported memory loss							
			0 fracture				0 death							
			0 cardiac arrest				0 autopsy obtained**							
<u>PHYSICIANS ASSESSMENT</u>														
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
<u>Level of memory impairment present</u>														
before ECT		60	49	5	0	0	n/a	0	114					
2-4 weeks after ECT:		39	72	3	0	0	0	0	114					
<u>Level of symptom severity present</u>														
before ECT		0	0	0	20	94	n/a	0	114					
2-4 weeks after ECT:		4	86	24	0	0	0	0	114					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>												
1.66	189	maintenance treatments administered												
0.55	63	average maintenance treatments per month												
4.13	471	series treatments planned (in brackets on reporting form)												
2.98	340	series treatments administered (circled on reporting form)												
1.86	212	complete series of treatments administered												
4.46	508	total number of ECT treatments administered												
<u>Status of series treatments</u>														
11 ongoing series treatments reported														
30 concluded series treatments reported														
7 stopped series treatments reported														
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0 multiple monitoring treatments administered														
0 EEG burst suppression--anesthetic treatment for refractory depression														
0 narcotherapy using deep anesthesia														
0 magnetic seizure therapy														

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Christus Spohn Memorial Hospital, Corpus Christi											19 *		
<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	19	reports reflected									
11 White/Caucasian	15 female	16	0	30	0	44	0	58	0	72	0	86	0
3 Black or African American	4 male	17	0	31	0	45	1	59	0	73	0	87	0
5 Hispanic or Latino	19 reports reflected	18	0	32	0	46	0	60	1	74	0	88	0
0 Asian		19	0	33	2	47	0	61	0	75	0	89	0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	0	62	0	76	0	90	0
19 reports reflected		21	1	35	1	49	0	63	0	77	0	91	0
		22	0	36	1	50	1	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	2	65	0	79	0	93	0
19 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0 guardian consenting for patient		26	0	40	0	54	1	68	2	82	0	96	0
19 reports reflected		27	0	41	0	55	1	69	0	83	0	97	0
		28	1	42	0	56	2	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	1	43	1	57	0	71	0	85	0	99	0
11 private 3rd party (insurer, HMO, etc)													
8 public 3rd party (county, state, Medicaid, etc.)		<u>Other reportable events that occurred within fourteen (14) days of ECT</u>											
0 own/family funds		0 apnea				0 reported memory loss							
0 other		0 fracture				0 death							
19 reports reflected		0 cardiac arrest				0 autopsy obtained**							
<u>PHYSICIANS ASSESSMENT</u>													
	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
<u>Level of memory impairment present</u>													
before ECT	0	13	5	1	0	n/a	0	19					
2-4 weeks after ECT:	0	14	5	0	0	0	0	19					
<u>Level of symptom severity present</u>													
before ECT	0	0	0	13	6	n/a	0	19					
2-4 weeks after ECT:	0	9	9	1	0	0	0	19					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>											
0.00	0	maintenance treatments administered											
0.00	0	average maintenance treatments per month											
11.37	216	series treatments planned (in brackets on reporting form)				<u>Status of series treatments</u>							
4.21	80	series treatments administered (circled on reporting form)				4 ongoing series treatments reported							
0.00	0	complete series of treatments administered				0 concluded series treatments reported							
4.05	77	total number of ECT treatments administered				13 stopped series treatments reported							
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>													
0		multiple monitoring treatments administered											
0		EEG burst suppression--anesthetic treatment for refractory depression											
0		narcotherapy using deep anesthesia											
0		magnetic seizure therapy											

*This number may reflect patients who have received ECT in more than one quarter this year.
**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Cypress Creek Hospital, Houston												344 *
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	344 reports reflected								
323	White/Caucasian	223 female	16 0	30 5	44 8	58 8	72 0	86 0				
13	Black or African American	121 male	17 0	31 10	45 14	59 5	73 0	87 0				
5	Hispanic or Latino	344 reports reflected	18 4	32 18	46 10	60 10	74 0	88 0				
3	Asian		19 9	33 4	47 10	61 4	75 0	89 0				
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20 3	34 10	48 9	62 5	76 0	90 0				
344	reports reflected		21 5	35 6	49 8	63 0	77 6	91 0				
			22 1	36 4	50 10	64 4	78 1	92 0				
			23 6	37 4	51 18	65 0	79 0	93 0				
<u>Hospital admission status</u>			24 3	38 6	52 11	66 4	80 0	94 0				
343	voluntary patient consenting		25 3	39 4	53 5	67 5	81 0	95 0				
1	involuntary patient consenting		26 1	40 4	54 2	68 0	82 0	96 0				
0	guardian consenting for patient		27 0	41 10	55 11	69 0	83 1	97 0				
344	reports reflected		28 8	42 4	56 8	70 2	84 0	98 0				
			29 6	43 16	57 11	71 0	85 0	99 0				
<u>Primary source of payment for ECT</u>												
208	private 3rd party (insurer, HMO, etc)											
133	public 3rd party (county, state, Medicaid, etc.)											
3	own/family funds											
0	other											
344	reports reflected											
			<u>Other reportable events that occurred within fourteen (14) days of ECT</u>									
			0 apnea			0 reported memory loss						
			0 fracture			0 death						
			0 cardiac arrest			0 autopsy obtained**						
<u>PHYSICIANS ASSESSMENT</u>												
<u>Level of memory impairment present</u>			<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>		
before ECT			140	198	5	0	1	n/a	0	344		
2-4 weeks after ECT:			15	299	30	0	0	0	0	344		
<u>Level of symptom severity present</u>												
before ECT			0	0	2	131	210	n/a	1	344		
2-4 weeks after ECT:			1	294	48	0	0	0	1	344		
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>										
2.30	791	maintenance treatments administered										
0.77	264	average maintenance treatments per month										
6.40	2,201	series treatments planned (in brackets on reporting form)					48	ongoing series treatments reported				
4.65	1,598	series treatments administered (circled on reporting form)					140	concluded series treatments reported				
3.45	1,186	complete series of treatments administered					14	stopped series treatments reported				
7.15	2,460	total number of ECT treatments administered										
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>												
0 multiple monitoring treatments administered												
0 EEG burst suppression--anesthetic treatment for refractory depression												
0 narcotherapy using deep anesthesia												
0 magnetic seizure therapy												

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at DePaul Center, Waco													54 *	
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	54	reports reflected									
53	White/Caucasian	30 female	16	0	30	3	44	1	58	3	72	0	86	1
0	Black or African American	24 male	17	0	31	1	45	1	59	0	73	0	87	9
1	Hispanic or Latino	54 reports reflected	18	0	32	3	46	1	60	0	74	0	88	0
0	Asian		19	0	33	0	47	0	61	0	75	0	89	0
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	3	48	4	62	0	76	0	90	0
			21	0	35	1	49	3	63	0	77	0	91	0
54	reports reflected		22	0	36	1	50	2	64	0	78	0	92	0
			23	0	37	0	51	2	65	0	79	0	93	0
<u>Hospital admission status</u>			24	0	38	1	52	2	66	1	80	2	94	0
54	voluntary patient consenting		25	0	39	0	53	2	67	0	81	0	95	0
0	involuntary patient consenting		26	0	40	0	54	2	68	0	82	0	96	0
0	guardian consenting for patient		27	0	41	0	55	0	69	0	83	0	97	0
54	reports reflected		28	0	42	2	56	1	70	0	84	1	98	0
			29	0	43	0	57	1	71	0	85	0	99	0
<u>Primary source of payment for ECT</u>			<u>Other reportable events that occurred within fourteen (14) days of ECT</u>											
23	private 3rd party (insurer, HMO, etc)						0 apnea	0 reported memory loss						
26	public 3rd party (county, state, Medicaid, etc.)						0 fracture	0 death						
5	own/family funds						0 cardiac arrest	0 autopsy obtained**						
0	other													
54	reports reflected													

<u>PHYSICIANS ASSESSMENT</u>								
<u>Level of memory impairment present</u>	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
before ECT	43	11	0	0	0	n/a	0	54
2-4 weeks after ECT:	46	8	0	0	0	0	0	54
<u>Level of symptom severity present</u>								
before ECT	10	6	10	27	1	n/a	0	54
2-4 weeks after ECT:	16	13	15	10	0	0	0	54

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	
2.67	144	maintenance treatments administered	
0.89	48	average maintenance treatments per month	<u>Status of series treatments</u>
5.74	310	series treatments planned (in brackets on reporting form)	8 ongoing series treatments reported
3.46	187	series treatments administered (circled on reporting form)	14 concluded series treatments reported
2.07	112	complete series of treatments administered	3 stopped series treatments reported
6.13	331	total number of ECT treatments administered	

<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Green Oaks Hospital, Dallas													158 *	
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	158 reports reflected										
146	White/Caucasian	114 female	16	0	30	3	44	2	58	7	72	2	86	0
5	Black or African American	44 male	17	0	31	2	45	2	59	2	73	0	87	0
6	Hispanic or Latino	158 reports reflected	18	0	32	0	46	6	60	7	74	3	88	0
0	Asian		19	0	33	3	47	4	61	3	75	4	89	0
1	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	2	34	1	48	2	62	1	76	3	90	0
			21	0	35	3	49	4	63	4	77	1	91	0
158	reports reflected		22	1	36	2	50	7	64	0	78	1	92	0
			23	1	37	1	51	9	65	0	79	0	93	0
			24	0	38	1	52	8	66	1	80	1	94	0
158	voluntary patient consenting		25	1	39	6	53	2	67	3	81	1	95	0
0	involuntary patient consenting		26	3	40	5	54	10	68	1	82	3	96	0
0	guardian consenting for patient		27	0	41	1	55	2	69	1	83	0	97	0
158	reports reflected		28	3	42	1	56	5	70	0	84	1	98	0
			29	0	43	2	57	1	71	2	85	0	99	0
<u>Hospital admission status</u>														
158	voluntary patient consenting													
0	involuntary patient consenting													
0	guardian consenting for patient													
158	reports reflected													
<u>Primary source of payment for ECT</u>														
94	private 3rd party (insurer, HMO, etc)													
64	public 3rd party (county, state, Medicaid, etc.)													
0	own/family funds													
0	other													
158	reports reflected													
			<u>Other reportable events that occurred within fourteen (14) days of ECT</u>											
			0 apnea				0 reported memory loss							
			0 fracture				0 death							
			0 cardiac arrest				0 autopsy obtained**							

<u>PHYSICIANS ASSESSMENT</u>								
<u>Level of memory impairment present</u>	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
before ECT	6	92	60	0	0	n/a	0	158
2-4 weeks after ECT:	27	71	30	0	0	29	1	158
<u>Level of symptom severity present</u>								
before ECT	0	0	22	129	7	n/a	0	158
2-4 weeks after ECT:	35	53	39	0	0	30	1	158

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	
0.66	104	maintenance treatments administered	
0.22	35	average maintenance treatments per month	
10.11	1,598	series treatments planned (in brackets on reporting form)	45 ongoing series treatments reported
6.89	1,089	series treatments administered (circled on reporting form)	71 concluded series treatments reported
4.56	720	complete series of treatments administered	14 stopped series treatments reported
7.87	1,243	total number of ECT treatments administered	

<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at IntraCare North Hospital, Houston													82 *
<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	82	<u>reports reflected</u>									
64 White/Caucasian	54 female	16	0	30	1	44	1	58	1	72	0	86	0
7 Black or African American	28 male	17	0	31	0	45	0	59	0	73	0	87	0
11 Hispanic or Latino	82 reports reflected	18	1	32	0	46	3	60	0	74	0	88	0
0 Asian		19	1	33	5	47	0	61	4	75	0	89	0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	3	34	2	48	0	62	0	76	0	90	0
82 reports reflected		21	1	35	0	49	1	63	3	77	0	91	0
		22	1	36	1	50	1	64	0	78	1	92	0
		23	1	37	0	51	7	65	1	79	3	93	0
<u>Hospital admission status</u>		24	2	38	1	52	6	66	0	80	2	94	0
82 voluntary patient consenting		25	2	39	1	53	5	67	1	81	0	95	0
0 involuntary patient consenting		26	1	40	2	54	2	68	0	82	0	96	0
0 guardian consenting for patient		27	4	41	0	55	2	69	0	83	0	97	0
82 reports reflected		28	0	42	0	56	2	70	0	84	0	98	0
		29	1	43	5	57	0	71	0	85	0	99	0
<u>Primary source of payment for ECT</u>													
56 private 3rd party (insurer, HMO, etc)													
25 public 3rd party (county, state, Medicaid, etc.)		<u>Other reportable events that occurred within fourteen (14) days of ECT</u>											
1 own/family funds		0 apnea				15 reported memory loss							
0 other		0 fracture				0 death							
82 reports reflected		0 cardiac arrest				0 autopsy obtained**							

<u>PHYSICIANS ASSESSMENT</u>								
	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	48	31	3	0	0	n/a	0	82
2-4 weeks after ECT:	33	39	10	0	0	0	0	82
<u>Level of symptom severity present</u>								
before ECT	0	0	1	28	53	n/a	0	82
2-4 weeks after ECT:	8	29	34	10	1	0	0	82

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	
0.87	71	maintenance treatments administered	
0.29	24	average maintenance treatments per month	<u>Status of series treatments</u>
8.63	708	series treatments planned (in brackets on reporting form)	22 ongoing series treatments reported
4.80	394	series treatments administered (circled on reporting form)	24 concluded series treatments reported
2.44	200	complete series of treatments administered	17 stopped series treatments reported
5.67	465	total number of ECT treatments administered	

<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Las Palmas Medical Center, El Paso													11 *	
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	11	reports reflected									
7	White/Caucasian	8 female	16	0	30	0	44	0	58	0	72	0	86	0
0	Black or African American	3 male	17	0	31	1	45	0	59	0	73	0	87	0
4	Hispanic or Latino	11 reports reflected	18	0	32	0	46	0	60	1	74	0	88	0
0	Asian		19	0	33	0	47	1	61	1	75	0	89	0
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	0	62	0	76	2	90	0
11	reports reflected		21	0	35	0	49	0	63	0	77	1	91	0
			22	0	36	0	50	0	64	0	78	0	92	0
			23	0	37	0	51	0	65	0	79	0	93	0
			24	0	38	0	52	0	66	0	80	0	94	0
<u>Hospital admission status</u>														
11	voluntary patient consenting		25	0	39	0	53	0	67	0	81	0	95	0
0	involuntary patient consenting		26	0	40	1	54	0	68	0	82	0	96	0
0	guardian consenting for patient		27	0	41	0	55	0	69	0	83	2	97	0
11	reports reflected		28	0	42	0	56	0	70	0	84	0	98	0
			29	0	43	0	57	0	71	0	85	1	99	0
<u>Primary source of payment for ECT</u>														
6	private 3rd party (insurer, HMO, etc)													
5	public 3rd party (county, state, Medicaid, etc.)													
0	own/family funds													
0	other													
11	reports reflected													
<u>Other reportable events that occurred within fourteen (14) days of ECT</u>														
<u>PHYSICIANS ASSESSMENT</u>														
<u>Level of memory impairment present</u>		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
before ECT		0	0	5	6	0	n/a	0	11					
2-4 weeks after ECT:		4	5	2	0	0	0	0	11					
<u>Level of symptom severity present</u>														
before ECT		0	0	3	8	0	n/a	0	11					
2-4 weeks after ECT:		3	6	2	0	0	0	0	11					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>												
0.00	0	maintenance treatments administered												
0.00	0	average maintenance treatments per month												
9.82	108	series treatments planned (in brackets on reporting form)												
4.36	48	series treatments administered (circled on reporting form)												
0.91	10	complete series of treatments administered												
4.36	48	total number of ECT treatments administered												
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0 multiple monitoring treatments administered														
0 EEG burst suppression--anesthetic treatment for refractory depression														
0 narcotherapy using deep anesthesia														
0 magnetic seizure therapy														

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Laurel Ridge Hospital, San Antonio													113 *	
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	113 reports reflected										
98	White/Caucasian	69 female	16	0	30	2	44	2	58	10	72	2	86	2
1	Black or African American	44 male	17	0	31	3	45	2	59	0	73	0	87	0
14	Hispanic or Latino	113 reports reflected	18	1	32	4	46	2	60	1	74	0	88	0
0	Asian		19	1	33	2	47	1	61	0	75	1	89	0
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	1	48	3	62	0	76	1	90	0
			21	2	35	2	49	0	63	0	77	0	91	0
113	reports reflected		22	0	36	0	50	7	64	0	78	0	92	0
			23	0	37	2	51	7	65	4	79	0	93	0
			24	0	38	1	52	0	66	0	80	0	94	0
113	voluntary patient consenting		25	0	39	1	53	2	67	3	81	2	95	0
0	involuntary patient consenting		26	0	40	1	54	0	68	1	82	0	96	0
0	guardian consenting for patient		27	0	41	5	55	1	69	1	83	0	97	0
113	reports reflected		28	0	42	8	56	6	70	4	84	0	98	0
			29	3	43	0	57	2	71	6	85	1	99	0
<u>Primary source of payment for ECT</u>														
65	private 3rd party (insurer, HMO, etc)													
46	public 3rd party (county, state, Medicaid, etc.)	<u>Other reportable events that occurred within fourteen (14) days of ECT</u>												
2	own/family funds	0 apnea					1 reported memory loss							
0	other	0 fracture					0 death							
113	reports reflected	0 cardiac arrest					0 autopsy obtained**							
<u>PHYSICIANS ASSESSMENT</u>														
<u>Level of memory impairment present</u>		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
before ECT		20	73	16	3	0	n/a	1	113					
2-4 weeks after ECT:		22	81	9	0	0	0	1	113					
<u>Level of symptom severity present</u>														
before ECT		0	8	29	74	2	n/a	0	113					
2-4 weeks after ECT:		5	58	47	2	0	0	1	113					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>												
1.93	218	maintenance treatments administered												
0.64	73	average maintenance treatments per month												
5.86	662	series treatments planned (in brackets on reporting form)												
4.26	481	series treatments administered (circled on reporting form)												
2.35	265	complete series of treatments administered												
6.19	700	total number of ECT treatments administered												
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0 multiple monitoring treatments administered														
0 EEG burst suppression--anesthetic treatment for refractory depression														
0 narcotherapy using deep anesthesia														
0 magnetic seizure therapy														

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Methodist Richardson Medical Center, Richardson												32 *		
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	32	reports reflected									
32	White/Caucasian	19 female	16	0	30	0	44	0	58	5	72	0	86	0
0	Black or African American	13 male	17	0	31	0	45	1	59	2	73	0	87	0
0	Hispanic or Latino	32 reports reflected	18	0	32	0	46	3	60	1	74	0	88	0
0	Asian		19	0	33	0	47	0	61	3	75	0	89	0
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	3	48	2	62	3	76	0	90	0
32	reports reflected		21	0	35	1	49	0	63	0	77	0	91	0
			22	0	36	1	50	2	64	0	78	0	92	0
			23	0	37	0	51	2	65	0	79	0	93	0
			24	0	38	0	52	0	66	0	80	0	94	0
			25	0	39	0	53	0	67	0	81	0	95	0
			26	0	40	1	54	0	68	0	82	0	96	0
			27	0	41	1	55	1	69	0	83	0	97	0
			28	0	42	0	56	0	70	0	84	0	98	0
			29	0	43	0	57	0	71	0	85	0	99	0
<u>Hospital admission status</u>														
32	voluntary patient consenting													
0	involuntary patient consenting													
0	guardian consenting for patient													
32	reports reflected													
<u>Primary source of payment for ECT</u>														
22	private 3rd party (insurer, HMO, etc)													
9	public 3rd party (county, state, Medicaid, etc.)													
1	own/family funds													
0	other													
32	reports reflected													
<u>Other reportable events that occurred within fourteen (14) days of ECT</u>														
<u>PHYSICIANS ASSESSMENT</u>														
									</					

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

For Treatments Given September 1, 2008 to August 31, 2009

- 0 multiple monitoring treatments administered
- 0 EEG burst suppression--anesthetic treatment for refractory depression
- 0 narcotherapy using deep anesthesia
- 0 magnetic seizure therapy

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Presbyterian Hospital of Dallas												8 *	
<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>8</u>	<u>reports reflected</u>									
8 White/Caucasian	7 female	16	0	30	0	44	0	58	0	72	0	86	0
0 Black or African American	1 male	17	0	31	0	45	0	59	0	73	0	87	1
0 Hispanic or Latino	8 reports reflected	18	0	32	0	46	0	60	0	74	1	88	1
0 Asian		19	0	33	0	47	0	61	0	75	0	89	0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	0	62	0	76	0	90	0
8 reports reflected		21	0	35	0	49	0	63	0	77	0	91	0
		22	0	36	0	50	0	64	0	78	0	92	0
<u>Hospital admission status</u>		23	0	37	0	51	0	65	1	79	0	93	0
8 voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0 involuntary patient consenting		25	0	39	0	53	0	67	1	81	1	95	0
0 guardian consenting for patient		26	0	40	0	54	0	68	0	82	0	96	1
8 reports reflected		27	0	41	0	55	0	69	1	83	0	97	0
		28	0	42	0	56	0	70	0	84	0	98	0
<u>Primary source of payment for ECT</u>		29	0	43	0	57	0	71	0	85	0	99	0
0 private 3rd party (insurer, HMO, etc)													
8 public 3rd party (county, state, Medicaid, etc.)													
0 own/family funds													
0 other													
8 reports reflected													
				<u>Other reportable events that occurred within fourteen (14) days of ECT</u>									
				0 apnea				7 reported memory loss					
				0 fracture				0 death					
				0 cardiac arrest				0 autopsy obtained**					
PHYSICIANS ASSESSMENT													
	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
<u>Level of memory impairment present</u>													
before ECT	4	4	0	0	0	n/a	0	8					
2-4 weeks after ECT:	1	6	1	0	0	0	0	8					
<u>Level of symptom severity present</u>													
before ECT	0	0	0	6	2	n/a	0	8					
2-4 weeks after ECT:	1	5	1	1	0	0	0	8					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>											
0.00	0	maintenance treatments administered											
0.00	0	average maintenance treatments per month											
6.25	50	series treatments planned (in brackets on reporting form)											
6.00	48	series treatments administered (circled on reporting form)											
4.50	36	complete series of treatments administered											
5.38	43	total number of ECT treatments administered											
<u>Status of series treatments</u>													
1 ongoing series treatments reported													
6 concluded series treatments reported													
1 stopped series treatments reported													
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>													
0 multiple monitoring treatments administered													
0 EEG burst suppression--anesthetic treatment for refractory depression													
0 narcotherapy using deep anesthesia													
0 magnetic seizure therapy													

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at San Jacinto Methodist Hospital, Baytown												17 *		
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	17	<u>reports reflected</u>									
13	White/Caucasian	13 female	16	0	30	0	44	2	58	0	72	0	86	0
1	Black or African American	4 male	17	0	31	0	45	0	59	0	73	1	87	0
3	Hispanic or Latino	17 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0
0	Asian		19	0	33	0	47	2	61	0	75	0	89	0
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	1	48	1	62	0	76	0	90	0
			21	0	35	1	49	0	63	0	77	0	91	0
17	reports reflected		22	0	36	1	50	0	64	0	78	2	92	0
<u>Hospital admission status</u>			23	1	37	1	51	0	65	0	79	0	93	0
17	voluntary patient consenting		24	0	38	0	52	0	66	0	80	0	94	0
0	involuntary patient consenting		25	0	39	1	53	0	67	0	81	0	95	0
0	guardian consenting for patient		26	0	40	0	54	0	68	0	82	1	96	0
17	reports reflected		27	0	41	0	55	0	69	0	83	0	97	0
<u>Primary source of payment for ECT</u>			28	0	42	1	56	0	70	0	84	0	98	0
7	private 3rd party (insurer, HMO, etc)		29	0	43	0	57	0	71	0	85	0	99	0
10	public 3rd party (county, state, Medicaid, etc.)	<u>Other reportable events that occurred within fourteen (14) days of ECT</u>												
0	own/family funds				0	apnea			0	reported memory loss				
0	other				0	fracture			0	death				
17	reports reflected				0	cardiac arrest			0	autopsy obtained**				
<u>PHYSICIANS ASSESSMENT</u>														
<u>Level of memory impairment present</u>		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
before ECT		0	17	0	0	0	n/a	0	17					
2-4 weeks after ECT:		0	17	0	0	0	0	0	17					
<u>Level of symptom severity present</u>														
before ECT		0	0	0	2	15	n/a	0	17					
2-4 weeks after ECT:		0	0	17	0	0	0	0	17					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>												
0.00	0	maintenance treatments administered												
0.00	0	average maintenance treatments per month												
7.12	121	series treatments planned (in brackets on reporting form)						1 ongoing series treatments reported						
6.71	114	series treatments administered (circled on reporting form)						8 concluded series treatments reported						
4.12	70	complete series of treatments administered						2 stopped series treatments reported						
6.71	114	total number of ECT treatments administered												
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0		multiple monitoring treatments administered												
0		EEG burst suppression--anesthetic treatment for refractory depression												
0		narcotherapy using deep anesthesia												
0		magnetic seizure therapy												

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

For Treatments Given September 1, 2008 to August 31, 2009

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	<u>Status of series treatments</u>
0.93	76	maintenance treatments administered	
0.31	25	average maintenance treatments per month	
9.55	783	series treatments planned (in brackets on reporting form)	7 ongoing series treatments reported
3.61	296	series treatments administered (circled on reporting form)	7 concluded series treatments reported
0.61	50	complete series of treatments administered	34 stopped series treatments reported
4.55	373	total number of ECT treatments administered	

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Seton Shoal Creek Hospital, Austin														145 *	
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	145 reports reflected											
139	White/Caucasian	102 female	16	0	30	0	44	2	58	5	72	7	86	0	
0	Black or African American	43 male	17	0	31	1	45	3	59	5	73	0	87	1	
3	Hispanic or Latino	145 reports reflected	18	0	32	4	46	6	60	3	74	2	88	0	
3	Asian		19	0	33	4	47	7	61	1	75	0	89	0	
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	2	48	4	62	3	76	1	90	0	
			21	0	35	4	49	0	63	2	77	2	91	0	
145	reports reflected		22	0	36	4	50	3	64	3	78	0	92	0	
<u>Hospital admission status</u>			23	2	37	2	51	1	65	4	79	1	93	0	
144	voluntary patient consenting		24	1	38	8	52	3	66	0	80	0	94	0	
0	involuntary patient consenting		25	0	39	6	53	0	67	1	81	0	95	0	
1	guardian consenting for patient		26	1	40	3	54	1	68	4	82	0	96	0	
145	reports reflected		27	0	41	1	55	1	69	1	83	0	97	0	
			28	1	42	3	56	8	70	5	84	0	98	0	
<u>Primary source of payment for ECT</u>			29	0	43	2	57	5	71	1	85	0	99	0	
81	private 3rd party (insurer, HMO, etc)														
60	public 3rd party (county, state, Medicaid, etc.)														
4	own/family funds														
0	other														
145	reports reflected														
														<u>Other reportable events that occurred within fourteen (14) days of ECT</u>	
														0 apnea	0 reported memory loss
														0 fracture	0 death
														0 cardiac arrest	0 autopsy obtained**
<u>PHYSICIANS ASSESSMENT</u>															
		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>						
<u>Level of memory impairment present</u>															
before ECT		125	18	0	1	0	n/a	1	145						
2-4 weeks after ECT:		98	40	6	0	0	0	1	145						
<u>Level of symptom severity present</u>															
before ECT		0	31	74	38	1	n/a	1	145						
2-4 weeks after ECT:		55	80	8	0	0	0	2	145						
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>													
1.86	270	maintenance treatments administered													
0.62	90	average maintenance treatments per month													
4.70	682	series treatments planned (in brackets on reporting form)													
3.52	511	series treatments administered (circled on reporting form)													
2.04	296	complete series of treatments administered													
5.41	784	total number of ECT treatments administered													
<u>Status of series treatments</u>															
12 ongoing series treatments reported															
36 concluded series treatments reported															
7 stopped series treatments reported															
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>															
0 multiple monitoring treatments administered															
0 EEG burst suppression--anesthetic treatment for refractory depression															
0 narcotherapy using deep anesthesia															
0 magnetic seizure therapy															

*This number may reflect patients who have received ECT in more than one quarter this year.

****Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.**

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at St. Joseph Medical Center, Houston												30 *			
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	30 reports reflected											
27 White/Caucasian		22 female	16	0	30	0	44	1	58	0	72	3	86	0	
1 Black or African American		8 male	17	0	31	0	45	1	59	0	73	2	87	0	
2 Hispanic or Latino		30 reports reflected	18	0	32	0	46	1	60	0	74	0	88	0	
0 Asian			19	0	33	0	47	0	61	0	75	0	89	0	
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander			20	0	34	0	48	1	62	0	76	0	90	0	
30 reports reflected			21	0	35	0	49	0	63	0	77	0	91	0	
			22	0	36	0	50	0	64	0	78	4	92	0	
<u>Hospital admission status</u>			23	0	37	0	51	2	65	0	79	5	93	0	
30 voluntary patient consenting			24	1	38	1	52	1	66	0	80	1	94	0	
0 involuntary patient consenting			25	0	39	0	53	1	67	0	81	0	95	0	
0 guardian consenting for patient			26	3	40	0	54	0	68	0	82	0	96	0	
30 reports reflected			27	1	41	0	55	0	69	0	83	0	97	0	
			28	0	42	0	56	1	70	0	84	0	98	0	
<u>Primary source of payment for ECT</u>			29	0	43	0	57	0	71	0	85	0	99	0	
2 private 3rd party (insurer, HMO, etc)															
28 public 3rd party (county, state, Medicaid, etc.)															
0 own/family funds															
0 other															
30 reports reflected															
												<u>Other reportable events that occurred within fourteen (14) days of ECT</u>			
												0 apnea		0 reported memory loss	
												0 fracture		0 death	
												0 cardiac arrest		0 autopsy obtained**	

<u>PHYSICIANS ASSESSMENT</u>						<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>			
before ECT	0	0	5	24	1	n/a	0	30
2-4 weeks after ECT:	30	0	0	0	0	0	0	30
<u>Level of symptom severity present</u>								
before ECT	0	0	5	24	1	n/a	0	30
2-4 weeks after ECT:	30	0	0	0	0	0	0	30

<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>	
1.07	32	maintenance treatments administered	
0.36	11	average maintenance treatments per month	
4.80	144	series treatments planned (in brackets on reporting form)	<u>Status of series treatments</u>
3.97	119	series treatments administered (circled on reporting form)	3 ongoing series treatments reported
3.57	107	complete series of treatments administered	19 concluded series treatments reported
5.03	151	total number of ECT treatments administered	1 stopped series treatments reported

<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>	
0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.
 **Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Terrell State Hospital, Terrell											49 *
<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	49 reports reflected								
33 White/Caucasian	29 female	16	0	30	0	44	0	58	3	72	0
5 Black or African American	20 male	17	0	31	0	45	0	59	3	73	3
4 Hispanic or Latino	49 reports reflected	18	0	32	2	46	1	60	2	74	0
0 Asian		19	0	33	1	47	3	61	0	75	4
7 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	2	48	0	62	0	76	0
49 reports reflected		21	0	35	0	49	0	63	0	77	0
		22	0	36	1	50	2	64	0	78	0
		23	0	37	0	51	0	65	3	79	0
<u>Hospital admission status</u>		24	0	38	3	52	3	66	0	80	0
34 voluntary patient consenting		25	0	39	0	53	0	67	0	81	0
0 involuntary patient consenting		26	1	40	0	54	1	68	0	82	0
15 guardian consenting for patient		27	0	41	2	55	0	69	2	83	0
49 reports reflected		28	0	42	0	56	3	70	2	84	0
		29	0	43	0	57	2	71	0	85	0
<u>Primary source of payment for ECT</u>											
2 private 3rd party (insurer, HMO, etc)											
47 public 3rd party (county, state, Medicaid, etc.)											
0 own/family funds											
0 other											
49 reports reflected											
<u>Other reportable events that occurred within fourteen (14) days of ECT</u>											
			0 apnea			0 reported memory loss					
			0 fracture			1 death					
			0 cardiac arrest			0 autopsy obtained**					
<u>PHYSICIANS ASSESSMENT</u>											
<u>Level of memory impairment present</u>	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>			
before ECT	18	30	1	0	0	n/a	0	49			
2-4 weeks after ECT:	21	27	1	0	0	0	0	49			
<u>Level of symptom severity present</u>											
before ECT	1	6	13	24	5	n/a	0	49			
2-4 weeks after ECT:	9	17	16	7	0	0	0	49			
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>									
3.43	168	maintenance treatments administered									
1.14	56	average maintenance treatments per month									
6.35	311	series treatments planned (in brackets on reporting form)					12 ongoing series treatments reported				
5.33	261	series treatments administered (circled on reporting form)					13 concluded series treatments reported				
2.37	116	complete series of treatments administered					2 stopped series treatments reported				
8.67	425	total number of ECT treatments administered									
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>											
0 multiple monitoring treatments administered											
0 EEG burst suppression--anesthetic treatment for refractory depression											
0 narcotherapy using deep anesthesia											
0 magnetic seizure therapy											

*This number may reflect patients who have received ECT in more than one quarter this year.
**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Texas Health Presbyterian Hospital, Dallas

4 *

<u>Race/Ethnicity</u>	<u>Gender</u>	<u>Age</u>	<u>4</u>	<u>reports reflected</u>							
4 White/Caucasian	1 female	16	0	30	0	44	0	58	0	72	0
0 Black or African American	3 male	17	0	31	0	45	0	59	0	73	0
0 Hispanic or Latino	4 reports reflected	18	0	32	0	46	0	60	0	74	1
0 Asian		19	0	33	0	47	0	61	0	75	0
0 American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	0	62	1	76	0
4 reports reflected		21	0	35	0	49	0	63	0	77	0
		22	0	36	0	50	0	64	0	78	0
		23	1	37	0	51	0	65	1	79	0
<u>Hospital admission status</u>		24	0	38	0	52	0	66	0	80	0
4 voluntary patient consenting		25	0	39	0	53	0	67	0	81	0
0 involuntary patient consenting		26	0	40	0	54	0	68	0	82	0
0 guardian consenting for patient		27	0	41	0	55	0	69	0	83	0
4 reports reflected		28	0	42	0	56	0	70	0	84	0
		29	0	43	0	57	0	71	0	85	0
<u>Primary source of payment for ECT</u>											
1 private 3rd party (insurer, HMO, etc)											
2 public 3rd party (county, state, Medicaid, etc.)											
1 own/family funds											
0 other											
4 reports reflected											
				<u>Other reportable events that occurred within fourteen (14) days of ECT</u>							
				0 apnea	3 reported memory loss						
				0 fracture	0 death						
				0 cardiac arrest	0 autopsy obtained**						

PHYSICIANS ASSESSMENT

	<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>
<u>Level of memory impairment present</u>								
before ECT	3	1	0	0	0	n/a	0	4
2-4 weeks after ECT:	3	0	1	0	0	0	0	4
<u>Level of symptom severity present</u>								
before ECT	0	0	0	2	2	n/a	0	4
2-4 weeks after ECT:	2	1	1	0	0	0	0	4

Avg Total Treatments administered during this reporting period

0.00	0	maintenance treatments administered
0.00	0	average maintenance treatments per month
7.00	28	series treatments planned (in brackets on reporting form)
5.75	23	series treatments administered (circled on reporting form)
5.75	23	complete series of treatments administered
5.75	23	total number of ECT treatments administered

Status of series treatments

0	ongoing series treatments reported
4	concluded series treatments reported
0	stopped series treatments reported

Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578

0	multiple monitoring treatments administered
0	EEG burst suppression--anesthetic treatment for refractory depression
0	narcotherapy using deep anesthesia
0	magnetic seizure therapy

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Texas West Oaks Hospital, Houston													327 *	
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	327 reports reflected										
230	White/Caucasian	216 female	16	0	30	1	44	4	58	12	72	1	86	2
47	Black or African American	111 male	17	0	31	5	45	3	59	7	73	0	87	0
33	Hispanic or Latino	327 reports reflected	18	1	32	0	46	1	60	7	74	0	88	0
13	Asian		19	0	33	2	47	6	61	6	75	0	89	0
4	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	0	48	9	62	14	76	1	90	3
			21	2	35	4	49	9	63	4	77	0	91	1
327	reports reflected		22	7	36	7	50	7	64	9	78	1	92	0
			23	3	37	5	51	5	65	4	79	2	93	0
			24	8	38	12	52	5	66	4	80	7	94	0
			25	5	39	10	53	2	67	3	81	4	95	0
			26	6	40	8	54	12	68	1	82	0	96	0
327	reports reflected		27	9	41	3	55	7	69	4	83	0	97	0
			28	3	42	10	56	7	70	4	84	0	98	0
			29	6	43	14	57	11	71	5	85	2	99	0
<u>Primary source of payment for ECT</u>														
178	private 3rd party (insurer, HMO, etc)													
146	public 3rd party (county, state, Medicaid, etc.)	<u>Other reportable events that occurred within fourteen (14) days of ECT</u>												
2	own/family funds	0 apnea			0 reported memory loss									
1	other	0 fracture			0 death									
327	reports reflected	0 cardiac arrest			0 autopsy obtained**									
<u>PHYSICIANS ASSESSMENT</u>														
<u>Level of memory impairment present</u>		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>					
before ECT		61	191	69	6	0	n/a	0	327					
2-4 weeks after ECT:		52	234	40	1	0	0	0	327					
<u>Level of symptom severity present</u>														
before ECT		2	2	22	283	18	n/a	0	327					
2-4 weeks after ECT:		134	165	28	0	0	0	0	327					
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>												
1.67	545	maintenance treatments administered												
0.56	182	average maintenance treatments per month												
4.90	1,602	series treatments planned (in brackets on reporting form)						57 ongoing series treatments reported						
3.09	1,009	series treatments administered (circled on reporting form)						72 concluded series treatments reported						
1.65	539	complete series of treatments administered						27 stopped series treatments reported						
4.75	1,554	total number of ECT treatments administered												
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>														
0 multiple monitoring treatments administered														
0 EEG burst suppression--anesthetic treatment for refractory depression														
0 narcotherapy using deep anesthesia														
0 magnetic seizure therapy														

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary
For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at The Methodist Hospital, Houston													35 *		
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	35	<u>reports reflected</u>										
27	White/Caucasian	23 female	16	0	30	0	44	0	58	0	72	2	86	0	
4	Black or African American	12 male	17	0	31	0	45	0	59	0	73	2	87	0	
4	Hispanic or Latino	35 reports reflected	18	0	32	0	46	0	60	1	74	2	88	0	
0	Asian		19	0	33	0	47	0	61	0	75	0	89	0	
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	1	48	0	62	3	76	0	90	0	
35	reports reflected		21	0	35	1	49	0	63	2	77	0	91	0	
			22	0	36	3	50	0	64	4	78	0	92	0	
			23	0	37	1	51	0	65	2	79	0	93	0	
			24	0	38	0	52	0	66	0	80	1	94	0	
			25	0	39	0	53	0	67	0	81	1	95	0	
			26	0	40	1	54	0	68	0	82	0	96	0	
			27	0	41	2	55	0	69	1	83	0	97	0	
			28	0	42	1	56	0	70	0	84	0	98	0	
			29	0	43	0	57	2	71	2	85	0	99	0	
<u>Hospital admission status</u>															
35	voluntary patient consenting														
0	involuntary patient consenting														
0	guardian consenting for patient														
35	reports reflected														
<u>Primary source of payment for ECT</u>															
26	private 3rd party (insurer, HMO, etc)														
7	public 3rd party (county, state, Medicaid, etc.)														
2	own/family funds														
0	other														
35	reports reflected														
			<u>Other reportable events that occurred within fourteen (14) days of ECT</u>												
			0 apnea				0 reported memory loss								
			0 fracture				0 death								
			0 cardiac arrest				0 autopsy obtained**								
<u>PHYSICIANS ASSESSMENT</u>															
<u>Level of memory impairment present</u>		<u>none</u>	<u>mild</u>	<u>moderate</u>	<u>severe</u>	<u>extreme</u>	<u>ongoing series</u>	<u>unable to be determined</u>	<u>reports reflected</u>						
before ECT		13	21	1	0	0	n/a	0	35						
2-4 weeks after ECT:		6	26	3	0	0	0	0	35						
<u>Level of symptom severity present</u>															
before ECT		0	1	17	10	7	n/a	0	35						
2-4 weeks after ECT:		5	23	7	0	0	0	0	35						
<u>Avg</u>	<u>Total</u>	<u>Treatments administered during this reporting period</u>													
1.00	35	maintenance treatments administered													
0.33	12	average maintenance treatments per month													
3.66	128	series treatments planned (in brackets on reporting form)						<u>Status of series treatments</u>							
2.89	101	series treatments administered (circled on reporting form)						4 ongoing series treatments reported							
2.37	83	complete series of treatments administered						13 concluded series treatments reported							
3.34	117	total number of ECT treatments administered						0 stopped series treatments reported							
<u>Other reportable psychiatric therapies required under Texas Health and Safety Code, Chapter 578</u>															
0 multiple monitoring treatments administered															
0 EEG burst suppression--anesthetic treatment for refractory depression															
0 narcotherapy using deep anesthesia															
0 magnetic seizure therapy															

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.

FY09 Annual ECT Facility Summary

For Treatments Given September 1, 2008 to August 31, 2009

Number of patients, reported quarterly, to have received ECT at Zale Lipshy University Hospital, Dallas													140 *	
<u>Race/Ethnicity</u>		<u>Gender</u>	<u>Age</u>	140 reports reflected										
130	White/Caucasian	78 female	16	0	30	2	44	2	58	0	72	4	86	0
7	Black or African American	62 male	17	0	31	0	45	2	59	3	73	5	87	0
3	Hispanic or Latino	140 reports reflected	18	0	32	1	46	3	60	3	74	3	88	0
0	Asian		19	0	33	1	47	2	61	0	75	1	89	0
0	American Indian, Alaska Native, Native Hawaiian, or Pacific Islander		20	0	34	5	48	4	62	6	76	2	90	0
			21	0	35	4	49	6	63	1	77	0	91	0
140	reports reflected		22	0	36	4	50	4	64	0	78	1	92	0
<u>Hospital admission status</u>			23	0	37	1	51	2	65	2	79	1	93	0
140	voluntary patient consenting		24	4	38	0	52	1	66	4	80	1	94	0
0	involuntary patient consenting		25	1	39	2	53	6	67	0	81	5	95	0
0	guardian consenting for patient		26	2	40	2	54	5	68	2	82	1	96	0
140	reports reflected		27	2	41	3	55	3	69	5	83	0	97	0
			28	2	42	1	56	1	70	2	84	0	98	0
<u>Primary source of payment for ECT</u>			29	3	43	0	57	3	71	4	85	0	99	0
77	private 3rd party (insurer, HMO, etc)													
61	public 3rd party (county, state, Medicaid, etc.)													
1	own/family funds		0	apnea				0	reported memory loss					
1	other		0	fracture				1	death					
140	reports reflected		0	cardiac arrest				1	autopsy obtained**					
<u>Other reportable events that occurred within fourteen (14) days of ECT</u>														

*This number may reflect patients who have received ECT in more than one quarter this year.

**Section 578.007(b)(8) of the Health and Safety Code requires ECT providers to report autopsy findings if death followed within 14 days of administration of the therapy. However, the Texas Code of Criminal Procedure, Chapter 49, Article 49.05, provides that proper consent be obtained from the legal next of kin before an autopsy can be performed.